5 - Hemtex Sample Routine

5	Sa	mple routine	. 2
	5.1	General	2
	5.1.	.2 Quotation	2
	5.2	Definition sample types	4
	5.2	.1 Lab dips and strike off	4
	5.2.	.2 First sample/style sample	4
	5.2.	.3 Counter sample / pre-production sample	4
	5.2.	.4 Production sample	4
	5.2.		4
	5.3	Labelling samples	
		Revision log, V 1.4, 2023	



5 Sample routine

The different samples are used to validate that the product fulfil KID/Hemtex and Hemtex24h requirements. Supplier shall as soon as possible and within the time given provide with samples according to requirements. No samples shall be sent without being requested or confirmed by Kid/Hemtex.

5.1 General

Suppliers are responsible to pre-check all sample types; all samples for KID/Hemtex shall be provided with KID/Hemtex tag format and completes with the correct information. Samples for Hemtex24h shall be marked according to IGS template.

All samples shall be approved in writing (email).

All costs for samples (incl. freight costs) shall be paid by the supplier and are to be included in the price of the order, no separate invoices will be accepted.

Samples shall be checked against the master in the light box under shop light (TL 83 master light), daylight and bulb light.

All samples for Kid/Hemtex shall be sent to Kid headquarters and attached to the relevant person. - Kid Interiør AS, Gilhusveien 1, 3426 Gullaug Norway.

Following samples shall be sent to Kid Headquarters for all orders placed by Kid/Hemtex

First samples
Counter samples
Photo samples
Pre-production samples
1 Shipment samples

For Hemtex 24h the samples shall be sent to IGS or Hemtex headquarter.

If the samples are sent to Hemtex24h-Sweden by IGS a separate invoice will be sent to supplier for the freight charge.

5.1.2 Quotation

A quotation shall be sent upon request to the relevant buyer. The quotation should be in Excel and contain all requested information. Please use our recent overview setup "Quotation - mandatory for all items". Example on next page.

It is important that all the information is correct, so we can add this directly into our system for registration.

If you have any questions regarding the sheet please ask.



Purchase Agreement and Requirement

Minimum informtion needed on quotation

Contact e-mail: xxxxxxxx Contact phone: xxxxxxxx

Attn: Kid Interiør AS + contact person

TT30 days after copy of original

Payment term	TT30 days after copy of original	
	BL	
Other:	xxxxxxxx	
		Explanation
	Supplier item number:	Suppliers own item number
Photo	Name of producer (factory):	Producer/factory of this mentioned item
1 110 00	Shipment port:	Name of port
	Model number:	Supplier /producers model number if they have
	Description	What is the product?
	Description:	Please specify exactly what it is.
		What materials is the product made of? Please specify all the materials in use
	Material:	(Dont write metall, write aluminium, iron etc. Dont write wood, write acacia,
	N	bamboo.etc.)
	Material composition - Weight percent:	Specify the weight of each material in relation to the product's total weight
	Net-weight of product	<u>without</u> packaging. Must be 100% in total. This is the weight of the useable product, meaning <u>weight without</u>
	(gram)	packaging, labels, banners etc.
		The total weight of the product <u>including</u> packaging design such as labels,
	Weight of sales unit (gram)	banners etc. (not including inner or master carton).
		Specify what kind of packaging the product has. What material is the
	Packaging design material	packaging made of - paper banderol, textile bag, colour box, polybag with
		header etc. (<u>not</u> inner or master carton).
	Packaging weight	Total weight of packaging design (not including inner or master carton).
	Construction:	How are the materials/product put together? Please specify important
		production details.
	Characteristics: Colour	Does the product have any important qualities?
	Colour	Suppliers colour reference and code if they have. Fill inn gram/millilitre if the product consists of solids and liquids. Includes
	Volume:	items such as candles, food, inner pillows, duvets etc.
	Size of product	
	(width/lenght/height/depth	Size of one product without any packaging.
	/diameter)	True size of any product when fully unfolded or fully assembled.
	Size of sales unit	Size of one product with packaging design (not inner or master carton). Size
	(width/lenght/height)	of product when folded or unassembled.
	Size of inner/retail	Please see chapter 6.2.3. Inner packaging should not exceed these
	carton/polybag	measurements if possible: 58cm length x 38cm width x 28,6cm height. This
	(width/lenght/height)	is to fit an Autostore. We accept that some larger items does not fit these measurements.
	Weight of one inner/retail	
	carton/polybag	Total weight of inner packaging (incl. the products)
	Size master/export carton	Please see chapter 6.2.3. Master cartons should fit an EURO pallet max
	(width/lenght/height)	W80xL120 cm. Leaving as little unused space as possible.
	Weight of master/export	Total weight of master carton fully packed. Preferable weight is under 15 kg.
	carton	Not allowed over 20 kg unless anything else is agreed upon.
		Inner (retail) and master (export) packaging. We prefer as low inner
	Inner/master units	quantity as possible.
	Measurement:	CBM of 1 master carton.
	MOQ:	Minimum pcs which needs to be ordered divided on both Kid and Hemtex.
		Please give your best unit price. This should include sample freight and
	Price:	others costs as we try to avoid extra charges on the PO. Always give price of
		one size. Do not keep price on a 2 og 3 pack unless we ask for it.
	Certification:	FSC/BCI / Oeko-tex 100 / Foodsafe etc. All certifications must be verified.
	Other remarks:	Other necessary info such as washing symbols, handmade, crafted by hand
		etc.

5.2 Definition sample types

5.2.1 Lab dips and strike off

- Should be made in correct fabric quality
- Samples with pattern (e.g. stripes, checks or prints) shall show a full repeat of the pattern.
- Shall be checked against the master in the light box under shop light (TL 83 master light), daylight and bulb light.

5.2.2 First sample/style sample

- Shall be made based on the specification in the quotation or inquiry and design sketch.
- Shall be made in correct quality and color/print.

Before an official order are placed towards supplier an approved sample first sample shall be in place.

5.2.3 Counter sample / pre-production sample

5.2.3.1 Kid/Hemtex

- Shall represent production quality (all colors) with all required hangers and labels attached.
- Counter sample (all colors) shall be approved before production starts. If production starts without approved sample and test report, it's on the supplier's risk.
- For running orders the **approved C/S for first shipment** shall be used as reference sample and shall be updated every 6 months at suppliers expense.

5.2.3.2 H24h

- Shall represent production quality (all colors) with all required hangers and labels attached.
- Counter sample for Hemtex 24h shall be sent by supplier to nominated 3rdparty laboratory for testing at suppliers' expense, according to the stated requirements. The 3rdpartylaboratory will send the test report to Hemtex/IGS for review.
- For orders-articles via ICA Global Sourcing: One counter sample shall be approved, sealed and sent back to supplier to be used during Final Random Inspection (FRI).
- For running orders, the **approved C/S for first shipment** shall be used as reference sample and shall be updated every 6 months at suppliers expense.

Counter sample (all colors) and shall be approved by IGS/Hemtex before production starts. If production starts without approved sample, it's on the supplier's risk.

Counter sample (all colors) and the 3rdparty lab test report shall be approved by IGS/Hemtex before production starts. If production starts without approved sample and test report, it's on the supplier's risk.

5.2.4 Production sample

- Sample from the actual batch and with all required hangers and labels attached.
- Kid/Hemtex, Suppliers must draw shipment sample from production and submit it to Kid Hemtex for final approval. The sample must be approved by Kid/Hemtex before shipment.
- Hemtex24h production sample shall be drawn from the production during inline or final inspection.
 - For waive final inspection, supplier draws the shipment sample from production and submits sample to Hemtex/IGS for approval.

5.2.5 Photo sample

Shall be made in correct quality and color/print.
 Shall be submitted according to request.


5.3 Labelling samples

All samples must be labelled before they are sent. The labels shall be completed with correct information.

Templates

- Samples sent to Kid office Lier use template 1A-2 and 2A-C
- Samples that are sent to IGS (ICA Global Sourcing) the use template 3A -3C.

1A-1C



2A-2C

F	IRST SAMPLE
Date:	
Supplier:	
Description:	
Item number:	
Size:	
Colour:	
Price:	
Comments:	
Kid	

PRE-PRODUCTION	COUNTER SAMPLE
Date:	
Supplier:	
Order nr:	
Suppliers item nr:	
Buyers item nr:	
Article name:	
Counter sam Revised counter sam Appro Kid Not appro HEMTEX Testa	ved

PRODUCTION	ON SAMPLE
Date: Supplier: Order nr: Suppliers item nr: Buyers item nr: Article name:	
Approved Not approved	Comments:
Kid	

Production start: date of the planned production start.

Similar: Quality with composition, construction, weight and stretch ability as close as

possible to bulk.

<u>Testable:</u> Quality is OK to perform for example wash test on.

F/S, C/S: Please tick the box for which sample you are sending.

3A	3B	3C
IGS ICA Global Sourcing Ltd Style Sample	IGS ICA Global Sourcing Ltd Counter / Pre-production Sample	ICA Global Sourcing Ltd Shipment / Production Sample
Date:	Date:	Date:
Supplier:	Supplier:	Supplier:
Factory:	Factory:	Factory:
Description:	Description:	Description:
Item no:	Item no:	Item no:
OpCo Art. No:	OpCo Art. No:	OpCo Art. No:
Unit price:	ETD:	ETD / LSD: PO#
Comments:	LSD:	Comments:
	Comments:	>
Appropried by DM:	Approved by QA:	Prepared by QC: Approved by QA:
Approved by PM: IGS Merchandiser:	IGS Merchandiser:	
		IGS Merchandiser:
☐ ICA: Sample photographed	ICA: Sample photographed	☐ ICA: Sample photographed

5.4 Revision log, V 1.4, 2023

5.	1.2	Quotation section is updated